

# PAYMENT REIMBURSEMENT POLICY



**Title:** PRP-17 COVID-19 Testing and Treatment

**Category:** PHP\_PAYMENT REIMBURSEMENT (PR)

**Effective Date:** 02/28/2023

Physicians Health Plan  
PHP Insurance Company  
PHP Service Company

## 1.0 Guidelines:

This policy applies to all network and non-network providers, including but not limited to percent of charge contract providers. This policy does not guarantee benefits or solely determine reimbursement. Benefits are determined and/or limited by an individual member's benefit coverage document (COC, SPD, etc.). The Health Plan reserves the right to apply clinical edits to all medical claims through coding software and accuracy of claim submission according to industry billing standards. Clinical edits are derived from nationally recognized billing guidelines such as the Centers for Medicare and Medicaid Services (CMS), National Correct Coding Initiative (NCCI), the American Medical Association (AMA), and specialty societies. The Health Plan may leverage the clinical rationale of CMS or other nationally sourced edits and apply this rationale to services that are not paid through CMS but which are covered by the Health Plan to support covered benefits available through one of the Health Plan's products. Prior approval does not exempt adherence to the following billing requirements. The provider contract terms take precedence if there is a conflict between this policy and the provider contract.

## 2.0 Description:

This policy applies to billed services related to the COVID-19 pandemic. The Health Plan provides coverage for appropriate medically necessary diagnostic laboratory tests that are consistent with CDC guidelines as they relate to COVID-19. The codes identified in this policy may not be an all-inclusive list. The Health Plan recognizes the ongoing developments in COVID-19 testing and treatment, including regular coding updates and expanded billing guidelines. The Health Plan continues to monitor, review and update COVID-19-related policies as necessary.

## 3.0 Coding and Billing:

### Diagnosis Codes

ICD-10 DIAGNOSIS CODES (list is not all-inclusive)	
Code	Description
	<b>Codes for pre-operative testing include:</b>
Z01.810	Encounter for pre-procedural cardiovascular examination
Z01.811	Encounter for pre-procedural respiratory examination
Z01.812	Encounter for pre-procedural laboratory examination
Z01.818	Encounter for other pre-procedural examination
Z03.818	Encounter for observation for suspected exposure to other biological agents ruled out
Z11.59	Encounter for screening for other viral diseases
Z20.822	Contact with and (suspected) exposure to COVID-19
Z20.828	Contact with and (suspected) exposure to other viral communicable diseases
Z86.19	Personal history of other infectious and parasitic diseases
U07.1	COVID-19, virus identified

- Use ICD-10 diagnosis code Z20.822 (effective 1/1/2021) for suspected exposure to COVID-19.
- Use Z11.59 or for testing of asymptomatic patients prior to inpatient admissions, planned outpatient procedures, or therapies.
- Use ICD-10 diagnosis code Z20.822 (effective 1/1/2021) for exposure to a confirmed case of COVID-19.
- Use Z86.19 for claims when the patient has a history of COVID-19 as applicable.
- When a patient presents with signs/symptoms associated with COVID-19 but a definitive diagnosis has not been established, assign the appropriate diagnosis code(s) for each sign/symptom.

### COVID-19 Diagnostic Testing

Code	Description
87426	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; severe acute respiratory syndrome coronavirus (e.g., SARS-CoV, SARS-CoV2 [COVID-19])
87428	Infectious agent antigen detection by immunoassay technique, (e.g., enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome coronavirus (e.g., SARS-CoV, SARS-CoV-2 [COVID-19]) and influenza virus types A and B
87635	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique
87636	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) and influenza virus types A and B, multiplex amplified probe technique
87637	Infectious agent detection by nucleic acid (DNA or RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), influenza virus types A and B, and respiratory syncytial virus, multiplex amplified probe technique
87811	Infectious agent antigen detection by immunoassay with direct optical (i.e., visual) observation; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
0202U	Infectious disease (bacterial or viral respiratory tract infection), pathogen-specific nucleic acid (DNA or RNA), 22 targets including severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR, nasopharyngeal swab, each pathogen reported as detected or not detected
0223U	Infectious disease (bacterial or viral respiratory tract infection), pathogen-specific nucleic acid (DNA or RNA), 22 targets including severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR, nasopharyngeal swab, each pathogen reported as detected or not detected For additional PLA code with identical clinical descriptor, see 0202U.
0224U	Antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), includes titer(s), when performed

Code	Description
0240U	Infectious disease (viral respiratory tract infection), pathogen-specific RNA, 3 targets (severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2], influenza A, influenza B), upper respiratory specimen, each pathogen reported as detected or not detected
0241U	Infectious disease (viral respiratory tract infection), pathogen-specific RNA, 4 targets (severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2], influenza A, influenza B, respiratory syncytial virus [RSV]), upper respiratory specimen, each pathogen reported as detected or not detected
U0001	CDC 2019 novel coronavirus (2019-ncov) real-time rt-pcr diagnostic panel
U0002	2019-ncov coronavirus, sars-cov-2/2019-ncov (COVID-19), any technique, multiple types or subtypes (includes all targets), non-cdc
U0003	Infectious agent detection by nucleic acid (DNA or RNA); Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, making use of high throughput technologies as described by CMS-2020-01-R
U0004	2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC, making use of high throughput technologies as described by CMS-2020-01-R
U0005	Infectious agent detection by nucleic acid (DNA or RNA); Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), amplified probe technique, CDC or non-CDC, making use of high throughput technologies, completed within 2 calendar days from date of specimen collection (list separately in addition to either HCPCS code U0003 or U0004) as described by CMS-2020-01-R2

- Testing must be performed in a consistent manner under the guidelines set forth by the United States Centers for Disease Control and Prevention (CDC).
- Testing must have an order on file.
- PCR testing is appropriate for asymptomatic patients with documented exposure to persons with known COVID-19.
- PCR testing is appropriate for determination of abated infection.
- Rapid Testing is appropriate for documented symptomatic patients.
- The Health Plan covers medically necessary, CDC approved COVID-19 testing when there is documented direct exposure, symptoms, or for asymptomatic patients prior to surgery.

#### At Home Testing

Effective January 15, 2022, PHP will cover 8 at-home over-the-counter FDA approved COVID-19 tests, per person enrolled in the plan, per month. Tests may be packaged as single or multiple tests in one package. The total number of tests will be calculated per test not per box. Therefore a two count box will count as two tests.

- The purchase date must be January 15, 2022 or later
- Providers should not submit for reimbursement of at-home tests
- Members should refer to PHPMM.com for directions on how to submit for reimbursement
- Testing for employment purposes is **not covered**.
- A physician's order is not required.
- If approved, PHP will reimburse \$12 per test to the requesting member

- Swab and send, machine read or mobile apps that are required to process the Covid-19 test are **not covered**.

#### At Home Testing

<b>Code</b>	<b>Description</b>
K1034	Provision of COVID-19 test, nonprescription self-administered and self-collected use, FDA approved, authorized or cleared, one test count

#### Antibody Testing

<b>Code</b>	<b>Description</b>
86328	Immunoassay for infectious agent antibody(ies), qualitative or semiquantitative, single step method (e.g., reagent strip); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19])
86408	Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID19]); screen
86409	Neutralizing antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID19]); titer
86413	Severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (Coronavirus disease [COVID-19]) antibody, quantitative
86769	Antibody; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) MULTIPLE STEP METHOD

- The Health Plan covers antibody testing when medically appropriate for an individual, as determined and ordered in accordance with current CDC guidelines for antibody testing.
- Antibody testing should not be used as the only means of diagnosis of COVID-19.
- Testing must have an order on file.
- Report 86328 once for each reagent strip tested.
  - If the reagent strip tests for one or multiple antibody classes (e.g. IgG and IgM), one unit of service should be reported, regardless of the number of antibodies evaluated and reported on the reagent strip.
- Modifier -59 should be appended to the code for the second reagent strip and documentation should support use of two reagent strips.
- Modifier -59 should be appended to the code reported for the second assay and documentation should support as two distinct analyses were performed.

Vaccine & Administration Codes (Effective November 10, 2020)

<b>Code</b>	<b>Description</b>
91300	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (COVID-19) vaccine, mRNA-LNP, spike protein, preservative free, 30mcg/0.3mL dosage, diluent reconstituted, for intramuscular use (Vaccine manufacturer: Pfizer Inc.)
91301	SARS-CoV-2 (COVID-19) vaccine, mRNA-LNP, spike protein, preservative free, 100mcg/0.5mL dosage, for intramuscular use (Vaccine manufacturer: Moderna Inc.)
91302	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, chimpanzee adenovirus Oxford 1 (ChAdOx1) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5mL dosage, for intramuscular use (AstraZeneca)
91303	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5mL dosage, for intramuscular use
91304	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage, for intramuscular use
91305	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use
91306	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, for intramuscular use
91307	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation, for intramuscular use
91308	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation, for intramuscular use
91309	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use
91310	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, monovalent, preservative free, 5 mcg/0.5 mL dosage, adjuvant AS03 emulsion, for intramuscular use
91311	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use
91312	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use

<b>Code</b>	<b>Description</b>
91313	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use
91314	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use
91315	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use
91316	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 10 mcg/0.2 mL dosage, for intramuscular use
91317	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use
0001A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30mcg/0.3mL dosage, diluent reconstituted; first dose
0002A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; second dose
0003A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted: third dose
0004A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted; booster dose
0011A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100mcg/0.5mL dosage; first dose
0012A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100mcg/0.5mL dosage; second dose
0013A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5 mL dosage; third dose
0021A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, chimpanzee adenovirus Oxford 1 (ChAdOx1) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5mL dosage; first dose

<b>Code</b>	<b>Description</b>
0022A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, chimpanzee adenovirus Oxford 1 (ChAdOx1) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5mL dosage; second dose
0031A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5mL dosage, single dose
0034A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 <sup>10</sup> viral particles/0.5mL dosage; booster dose
0041A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; first dose
0042A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; second dose
0044A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; booster
0051A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; first dose
0052A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; second dose
0053A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; third dose
0054A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; booster dose
0064A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, booster dose
0071A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; first dose
0072A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10

<b>Code</b>	<b>Description</b>
	mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; second dose
0073A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS- CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; third dose
0074A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; booster dose
0081A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; first dose
0082A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; second dose
0083A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; third dose
0091A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage first dose, when administered to individuals 6 through 11 years
0092A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage; second dose, when administered to individuals 6 through 11 years
0093A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage; third dose, when administered to individuals 6 through 11 years
0094A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, booster dose
0104A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, monovalent, preservative free, 5 mcg/0.5 mL dosage, adjuvant AS03 emulsion, booster dose



<b>Code</b>	<b>Description</b>
0111A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage; first dose
0112A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage; second dose
0013A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage; third dose
0124A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, booster dose
0134A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, booster dose
0144A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, booster dose
0154A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, booster dose
M0201	Covid-19 vaccine administration inside a patient's home; reported only once per individual home per date of service when only covid-19 vaccine administration is performed at the patient's home

- Initially the federal government is reimbursing designated vaccination sites directly for the COVID-19 vaccines. Administration may be billed and reimbursed.

#### Miscellaneous Services

<b>Code</b>	<b>Description</b>
99072	Additional supplies, materials, and clinical staff time over and above those usually included in an office visit or other non-facility service(s), when performed during a Public Health Emergency as defined by law, due to respiratory-transmitted infectious disease.

The Health Plan **does not separately reimburse** for procedure codes identified as Status B codes in the MPFS Final Rule and the Outpatient Prospective Payment System (OPPS) Addendum D that corresponds with the date of service billed. This code is considered inclusive of the office visit and is not separately reimbursable for claims submitted on or after September 8, 2020.

Specimen Collection

Code	Description
99000	Handling and/or conveyance of specimen for transfer from the office to a laboratory
C9803	Hospital outpatient clinic visit specimen collection for severe acute respiratory syndrome coronavirus 2 (sars-COV-s) (coronavirus disease [covid-19], any specimen source,
G2023	Specimen collection for severe acute respiratory syndrome coronavirus 2 (sars-cov-2) (coronavirus disease [COVID-19]), any specimen source
G2024	Specimen collection for severe acute respiratory syndrome coronavirus 2 (sars-cov-2) (coronavirus disease [COVID-19]) from an individual in a SNF or by a laboratory on behalf of a HHA, any specimen source

Report 99000 when a swab collection for a PCR test is performed and sent out to an independent lab for testing.

- This is an exception to the CMS status B code indication for CPT 99000 in consideration of the current Public Health Emergency.
- Collection only.
  - 99000 is separately reimbursed.
- Billed with E/M.
  - 99000 is considered inclusive of the E/M service.

Report C9803 when clinical staff assesses patient symptoms and collects nasopharyngeal, oropharyngeal, sputum, or other types of specimens from a patient in a hospital outpatient clinic setting for the purpose of performing a laboratory test for the SARS–CoV–2 virus.

Treatment Coding

Code	Description
C9507	Fresh frozen plasma, high titer COVID-19 convalescent, frozen within 8 hours of collection, each unit
Q0220	Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), 300 m
Q0221	Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any

<b>Code</b>	<b>Description</b>
	available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), 600 mg
Q0222	njection, bebtelovimab, 175 mg
Q0240	Injection, casirivimab and imdevimab, 600 mg
Q0243	Injection, casirivimab and imdevimab, 2400 mg
Q0244	Injection, casirivimab and imdevimab, 1200 mg
Q0245	Injection, bamlanivimab and etesevimab, 2100 mg
Q0247	Injection, sotrovimab 500 mg
Q0249	Injection, tocilizumab, for hospitalized adults and pediatric patients (2 years of age and older) with COVID-19 who are receiving systemic corticosteroids and require supplemental oxygen, non-invasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, 1 mg
M0220	Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known SARS-CoV-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available COVID-19 vaccine is not recommended due to a history of severe adverse reaction to a COVID-19 vaccine(s) and/or COVID-19 vaccine component(s), includes injection and post administration monitoring
M0221	Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known SARS-CoV-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available COVID-19 vaccine is not recommended due to a history of severe adverse reaction to a COVID-19 vaccine(s) and/or COVID-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the COVID-19 public health emergency
M0222	Intravenous injection, bebtelovimab, includes injection and post administration monitoring
M0223	Intravenous injection, bebtelovimab, includes injection and post administration monitoring
M0240	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab, includes infusion or injection and post administration monitoring, subsequent repeat doses
M0241	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab, includes infusion or injection, and post administration monitoring in the home or residence. This includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency, subsequent repeat doses
M0243	Intravenous infusion, casirivimab and imdevimab includes infusion and post administration monitoring
M0244	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab includes infusion or injection, and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the COVID-19 public health emergency
M0245	Intravenous infusion, bamlanivimab and estesevimab, includes infusion and post administration monitoring

<b>Code</b>	<b>Description</b>
M0247	Intravenous infusion, sotrovimab, includes infusion and post administration monitoring
M0248	Intravenous infusion, sotrovimab, includes infusion and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the COVID-19 public health emergency
M0249	Intravenous infusion, tocilizumab, for hospitalized adults and pediatric patients (2 years of age and older) with COVID-19 who are receiving systemic corticosteroids and require supplemental oxygen, non-invasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, includes infusion and post administration monitoring, first dose
M0250	Intravenous infusion, tocilizumab, for hospitalized adults and pediatric patients (2 years of age and older) with COVID-19 who are receiving systemic corticosteroids and require supplemental oxygen, non-invasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, includes infusion and post administration monitoring, second dose monitoring, second dose

Modifier CS

Cost-sharing waived for specified COVID-19 testing-related services that result in an order for or administration of a COVID-19 test and/or used for cost-sharing waived preventive services furnished via telehealth in rural health clinics and federally qualified health centers during the COVID-19 public health emergency.

Cost share waivers may adjust over time and may be specific to a member's plan coverage. Cost share will not be waived on E/M services billed without COVID testing. Services billed with modifier CS will be regularly audited for appropriate billing and claims processing.

Exclusions and Limitations

Physical, psychiatric or psychological exams, testing, vaccinations, immunizations or treatments when:

- Required solely for purposes of career, education, sports, camp, travel, employment, insurance, marriage or adoption.
- Related to judicial or administrative proceedings or orders.
- Conducted for purposes of medical research, except for qualified clinical trials.
- Required to obtain or maintain a license of any type.

Non-Covered Services

<b>Code</b>	<b>Description</b>
*Please refer to Member Benefit Details for Coverage of the following	
0225U	Antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), includes titer(s), when performed
0226U	Surrogate viral neutralization test (sVNT), severe acute

Code	Description
	respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]), ELISA, plasma, serum
G0310	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service, 5 to 15 minutess time (This code is used for Medicaid billing purposes)
G0311	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service, 16-30 minutess time (This code is used for Medicaid billing purposes)
G0312	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service for ages under 21, 5 to 15 minutes time (This code is used for Medicaid billing purposes)
G0313	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service for ages under 21, 16-30 minutes time (This code is used for Medicaid billing purposes)
G0314	Immunization counseling by a physician or other qualified health care professional for COVID-19, ages under 21, 16-30 minutes time (This code is used for the Medicaid Early and Periodic Screening, Diagnostic, and Treatment Benefit [EPSDT])
G0315	Immunization counseling by a physician or other qualified health care professional for COVID-19, ages under 21, 5-15 minutes time (This code is used for the Medicaid Early and Periodic Screening, Diagnostic, and Treatment Benefit [EPSDT])

#### 4.0 Documentation Requirements:

The medical record entries must provide a complete and accurate reflection of the procedures/services provided and full support the coding and claim data submitted for reimbursement. Incomplete records and lack of response to request of medical records may result in denial or reduced reimbursement.

The documentation submitted for support is based on the services provided. For example, a documentation for a lab service would include; lab order/requisition, lab reports, time and date of draw, where the documentation for an office visit with a primary care provider may simply consist of the visit notes (HPI, exam, medical decision making). The Health Plan uses CMS documentation guidelines as best practice to ensure that all pertinent medical record components are reviewed as support of services billed. All supporting components of a service must be received within the allotted time frame to avoid denial for lack of supporting documentation.

#### 5.0 Verification of Compliance

Claims are subject to audit, prepayment and post payment, to validate compliance with the terms and conditions of this policy.

#### 6.0 Terms & Definitions:

Antibody Test- Also referred to as serology testing, looks for the presence of antibodies, which are specific proteins made in response to infections. Antibodies are detected in the blood of people who are tested after infection; they show an immune response to the infection. Antibody testing does not detect the virus itself. It may take several days to weeks for antibodies to develop and present in a test.

Antigen Test- Diagnostic test performed to identify an active coronavirus infection faster than a molecular test.

At-Home Collection Test- Diagnostic test that allows the patient to collect the sample at home and send it directly to the lab for analysis. Some at-home collection tests have a health care provider oversee the sample collection by video with the patient.

Combination Test- Diagnostic test that can test for the flu and the coronavirus at the same time. Some can test for many different types of respiratory viruses, including the one that causes COVID-19.

COVID-19 related- Services directly related to the diagnosis and treatment of COVID-19 and services related to the detection of the SARS-CoV-2 virus, antibodies, and antigens

Molecular Tests-Diagnostic test, also referred to as PCR tests performed to identify an active coronavirus infection.

PCR Test- Directly detects the presence of an antigen, rather than the presence of the body's immune response, or antibodies. By detecting viral RNA, which will be present in the body before antibodies form or symptoms of the disease are present, the tests can tell whether someone has the virus very early on.

Rapid, point of care Test- Diagnostic tests uses a mucus sample from the nose or throat but can be analyzed at the doctor's office or clinic where the sample is collected, and results may be available within minutes. These may be molecular or antigen tests.

Saliva Test- Diagnostic test that allows a patient to spit into a tube rather than get their nose or throat swabbed. Saliva tests may be more comfortable for some people and may be safer for health care workers who can be farther away during the sample collection.

Viral Test- Provides information if you have a current infection.

## **7.0 References, Citations, Resources & Associated Documents:**

BCP-15 COVID-19 Testing and Treatment.

PRP-15 Telemedicine Services.

The Centers for Disease Control and Prevention (CDC) <https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinicalcriteria.html>.

CMS.gov Centers for Medicare & Medicaid Services, Current Emergencies, Coronavirus Disease 2019. <https://www.cms.gov/About-CMS/Agency-Information/Emergency/EPRO/Current-Emergencies/Current-Emergencies-page>.

MLN Matters Number: MM11939 Quarterly Update to the Medicare Physician Fee Schedule Database (MPFSDB).

MLN Matters Number: MM11960 October 2020 Update of the Hospital Outpatient Prospective Payment System (OPPS).

CPT Assistant Special Edition: SARS-Cov-2 Serologic Laboratory Testing Volume 30, 2020.

## **8.0 Revision History:**

Original Effective Date: 02/28/2023

Next Review Date: 02/28/2024

<b>Revision Date</b>	<b>Reason for Revision</b>
7/21	Annual review; new dx and procedure codes added, updated verbiage on the Guidelines.
2/22	Off cycle review : coding and home testing language updates, approved at CCSC 07/12/22
1/23	Off cycle review